

NAVODAYA VIDYALAYA SAMITI
REGIONAL OFFICE, BHOPAL

To,
M/s _____

Sub:- Tender for the supply of _____

1. Selected tender for the supply of the articles shown in the attached statement are invited by the undersigned on behalf of Navodaya Vidyalaya Samiti, regional office, A 135A, Gate No-2, Alakapuri, Bhopal up to 1.00 P.M. date. **08.11.2018** . The tender should be sent under strong sealed cover marked as "TENDER FOR THE SUPPLY OF _____" and not by the name. The tender will be opened in the office of the Principal/at **10.00 a.m.** on **10.11.2018 at 10.00am.**
2. The tender should be submitted according to the terms and conditions specified in paragraphs 3 to 15 unless specified in otherwise in the tender, it shall be construed that the terms and conditions stipulated hereunder have been agreed to.
3. The rate should be F.O.R. Vidyalaya and should include excise Duty. Sales Tax, and any other taxes, or imposition whatever liable in respect of the suppliers. The Navodaya Vidyalaya Samiti shall not pay freight etc.
4. There should not be any overwriting, corrections in the tender. If a figure is to be amended, it should be neatly scored out and then revised figure should be written above and the same attested with full signature and date. In the absence of the attested signature the tender is liable to rejected.
5. The undersigned does not bind himself to accept the lowest tender and reserve the right to accept the tender in whole or in part i.e. with respect to all the articles mentioned in the attached statement or in respect of any one or more then one article specified in the attached statement as he/ she may decide.
6. On acceptance of the tender it will become a contract and the contractor shall be bound by the term and conditions of the tender and the provision of G.F.R.
7. The tenderer should submit his/ her tender form along with Earnest Money of Rs. 5000.00/ 2000.00 amounting as fixed and published in the tender notification in form of Bank Draft in favour of the Principal, Jawahar Navodaya Vidyalaya, Bagudi, Payable at State Bank of India, Soro Branch, Soro, Dist. Balasore, which will be refunded in the event of rejection of the tender. The earnest money will be forfeited in the event of failure to comply with the contract. In the event of the tender being accepted the earnest money will be adjusted towards security deposit which shall be payable @ 10% of the total amount of the articles. If the contractor is not agreeable to pay security deposit the reasons therefore should be specified and the undersigned reserves to right to accept or reject the request.

8. If the contractor fails to supply the articles within the time stipulated in the letter of acceptance by the undersigned, the undersigned shall be at liberty to purchase the articles from the market or get the rest of the contract completed by any other person of firm and the difference of price, if any, shall be deducted from the earnest money/ security deposit and incase any amount in excess of the security deposit is paid by the undersigned the contractor shall be liable to pay his amount.
9. The quantity of articles indicated in the attached statement may be increased or decreased at the discretion of the undersigned without assigning any treason.
10. Prior to acceptance of the Tender, the undersigned reserves the right to call for samples or demonstration and the contractor shall be liable to supply the sample or give the demonstration free of cost.
11. The rate quoted by the contractor shall hold good up to **30.04.19**. No amount amendment in the rate except increase/ decrease in the rate of sales tax during the period of supplies will be accepted. For the branded item, if there would be some free gift schemes, marked on the packing, the same would be liable to be supplied with the articles on free of cost also and also shown in the bill.
12. In the event of acceptance of the tender and placing of the order for purchase, the articles ordered for would be subjected to an inspection by the undersigned or his representative and are liable to be rejected if the articles supplied are not according to approved samples or do not confirm to the specifications prescribed.
13. In the case of furniture, the type of wood to be used in furniture should be seasoned teak wood and wood should not exceed more then 10% gap. The contractor shall be required to fix a metal label on the furniture supplied by him giving his name & year of furniture.
14. The amount of security deposit shall be retained by the samiti/ Vidyalaya for period of six months from the date of completion of supplies as a safeguard against any defect appearing in the articles supplied within the period.
15. Tender which do not comply with the above conditions are liable to be rejected.
16. The selected tender should invariably contain-
 - i. Current Income Tax and Sales Tax/ VAT clearance certificate from the competent authority.
 - ii. Earnest Money
 - iii. Lowest rate as well as term of supply if any.
 - iv. Specification and printed catalogue and other concerned literature of the equipment to be supplied. Samples should be submitted at the time of opening. Otherwise the quoted rates will not be considered.
 - v. In case of authorized Dealers, Authorization letters from the manufacture/ Supplier.
 - vi. Signature of the authorized person on all pages with date.
 - vii. For all the branded item discount may be quoted along with the rate. The company's rate chart may be submitted whenever the company effects the change in rate.

STATION:- Bagudi.
PRINCIPAL,

UNDERTAKING BY THE SUPPLIER

We M/s _____ agree fully with the terms and conditions specified in paragraphs 3 to 16 and enclose the rates of items as per list and specifications given by NVS, RO, Bhopal/ Principal, JNV, Bagudi, Balasore in printed letter head or form of the firm.

Signature _____,

Name of the Proprietor _____ .

Seal of the Firm _____ .

Full Address with Ph. No.

Witness [Signature, name & Address]

1. _____

2. _____

**JAWAHAR NAVODAYA VIDYALAYA, BAGUDI,
DIST. BALASORE, ODISHA**

CCTV SPECIFICATION & INSTALLATION

Sl. No.	Name of the Item with specification	Brand	Unit	Rate
1	IP BULLET CAMERA 3 MP HD IR-20 mtr, 1/3", Progressive scan CMOS, LENS- 2.8mm-.6mm at F1.2, Angle of view: H83.6d, Dual Stream, Digital WDR, 3D DNR, Resolution: 2304 X1296, H.264+ , IPv4, IGMP, ICMP, ARP, TCP, UDP, DHCP,RTP, RTSP,DNS,DDNS NTP, FTP, UPnP, HTTP, ONVIF, 12v DC, PoE (802.3af), 1 RJ 45 10M/100M Ethernet, Ingress Protection :- IP67, motion detection feature, Mobile Monitoring, Power consumption: max.4w/6w(POE).	HIKVISION	Per pc	
2	IP BULLET CAMERA 2 MP HD IR 50 Mtr, LENS-3.6mm at F1.8 Angle of view : H76.7o, 1280 X960,H.264, IPv4, IGMP, ICMP, ARP, TCP, UDP, DHCP,RTP, RTSP,DNS,DDNS NTP,FTP,UPnP, HTTP, ONVIF, 12v DC,PoE (IEEE802.3af), 1 RJ 45 10M/100M Base- TX Ethernet Ingress Protection :- IP66, motion detection feature	HIKVISION	Per pc	
3	IP BULLET CAMERA 2 MP HD IR 80 Mtr, LENS-12mm at F1.8 Angle of view : H76.7o, 1280 X960,H.264, IPv4, IGMP, ICMP, ARP, TCP, UDP, DHCP,RTP, RTSP,DNS,DDNS, NTP,FTP,UPnP, HTTP, ONVIF, 12v DC,PoE (IEEE802.3af), 1 RJ 45 10M/100M Base- TX Ethernet Ingress Protection :- IP66, motion detection feature	HIKVISION	Per pc	
4	IP Dome CAMERA 3 MP HD IR-20 mtr, 1/3", Progressive scan CMOS, LENS- 2.8mm-.6mm at F1.2, Angle of view: H83.6d, Dual Stream, Digital WDR, 3D DNR, Resolution: 2304 X1296, H.264+ , IPv4, IGMP, ICMP, ARP, TCP, UDP, DHCP,RTP, RTSP,DNS,DDNS NTP, FTP, UPnP, HTTP, ONVIF, 12v DC, PoE (802.3af), 1 RJ 45 10M/100M Ethernet, Ingress Protection :- IP67, motion detection feature, Mobile Monitoring, Power consumption: max.4w/6w(POE)..	HIKVISION	Per pc	
5	NVR 32 Port Channel UPTO 4 MP input, Video comprssion: h.265+HDMI Output -1CH, VGA OUTPUT-1CH,RECORDING RESOLUTION 1080P/720P/D1/2CIF/CIF, 2SATA Interface WITH 6TB CAPACITY EACH, 1 RJ 45 10M/100M Base-TX Ethernet, 1USB 2.0 interface,1USB 3.0 interface, 12 V DC, <- 10W. Support for UPnP, NTP, DHCP, PPPoE	HIKVISION	Per pc	
6	HARD DISK 6TB- SURVEILLANCE TYPE, USB 3.0,0 TO 60 C OPERATING TEMPERATURE	SEAGATE	Per pc	

7	32" HD LED TV, 1 *HDMI,1*USB PORT, Should be TCO Certified and IPS technology, Bracket/wall mount kit should be included in the package with HDMI Cable	SONY	Per pc	
		LG	Per pc	
8	UPS 1 KVA	NUMERIC/ APC	Per pc	
9	4 PORT GIGABYTE POE SWITCH WITH SURGE PROTECTOR 10/100/1000	HIKVISION/ DLINK	Per pc	
10	8 PORT GIGABYTE POE SWITCH WITH SURGE PROTECTOR 10/100/1000	HIKVISION/ DLINK	Per pc	
11	16 PORT GIGABYTE POE SWITCH WITH SURGE PROTECTOR 10/100/1000	HIKVISION	Per pc	
		D-LINK	Per pc	
12	24 PORT GIGABYTE POE SWITCH WITH SURGE PROTECTOR 10/100/1000	HIKVISION	Per pc	
		D-LINK	Per pc	
13	RACK 6U	D-LINK	Per pc	
		VAL RACK	Per pc	
14	RACK 4 U	VAL RACK	Per pc	
		D-LINK	Per pc	
15	CAT 6 UTP INDOOR CABLE (305 METER COIL) (PAYMENT WILL BE DONE AS PER USE)	FINOLEX	Per pc	
		D-LINK	Per pc	
16	CAT 6 UTP ARMoured JELLY FILLED OUTDOOR CABLE (305 METER COIL) (PAYMENT WILL BE DONE AS PER USE)	FINOLEX	Per pc	
		D-LINK	Per pc	
17	6 CORE JELLY FILLED OFC CABLE	DLINK/ MOLEX	PER METER	
18	6 port LIU with Patch Cord and patch panel	D-LINK	Per pc	
19	Media Convertor gigabyte	D-LINK	Per pc	
20	PVC CONDUIT PIPE/Polythene Pipe		Per pc	
21	Laying of cable cost per meter		Per pc	
22	INSTALLATION CHARGES		Per pc	
23	AMC Charges per camera for three years after warranty period.		Per pc	

Signature of the Tenderer
(Seal)

ADDRESS:

PH. NO.

**JAWAHAR NAVODAYA VIDYALAYA, BAGUDI,
DIST. BALASORE, ODISHA**

SPECIFICATION FOR ASBESTOS SHEET

Sl. No.	Name of the Item with specification	Brand	Unit	Rate
1	Asbestos Sheet 10 feet	CHARMINAR	Per Mtr.	
2	Asbestos Sheet 08feet		Per Mtr.	
3	Asbestos Sheet 04 feet		Per Mtr.	
4	Asbestos Sheet 10 feet	VISHAKHA	Per Mtr.	
5	Asbestos Sheet 08feet		Per Mtr.	
6	Asbestos Sheet 04 feet		Per Mtr.	

Signature of the Tenderer

Signature of the Tenderer
(Seal)
ADDRESS:

PH. NO.

**JAWAHAR NAVODAYA VIDYALAYA, BAGUDI,
DIST. BALASORE, ODISHA**

SPECIFICATION FOR STEAM BOILER

Sl. No.	Name of the Item with specification	Brand	Unit	Rate
1	Steam Boiler:- Gas Operated Capacity: 250 Lit Type: Vertical Outer Body: Single Body Heavy duty Mild steel 3 mm thickness outer, Cladding with stainless steel 1 mm thickness 304 grade, Mat finish Inner Body: Single Jacket inner body Mild steel 3 mm thickness with seamless 60 m OD, 5 mm thickness mild steel pipes, for water boil, 5" OD 5 mm thickness for exhaust, including Gauge glass set made with gun metal, pressure gauge, safety valve with weight, water level indicator, steam out let, water inlet, water out let, cleaning drain valve, steam out let valve, etc. Operation: Gas operated	Good Quality/ ISI Mark	Per pc	
2	Replace of New steam pipeline, including GI pipeline, Valves, asbestos rope for insulation set etc.	Good Quality/ ISI mark	Per pc	

Signature of the Tenderer
(Seal)

ADDRESS:

PH. NO.

**JAWAHAR NAVODAYA VIDYALAYA, BAGUDI,
DIST. BALASORE, ODISHA**

SPECIFICATION FOR FIRE ESTINGUISHER/REFILLING

Sl. No.	Name of the Item with specification	Unit	Rate
1	Fire Extinguisher (ABC Type)	2 KG	
2	Fire Extinguisher (ABC Type)	5 KG	
3	Fire Extinguisher (ABC Type)	6 KG	
4	Fire Extinguisher (ABC Type) Refilling	2 KG	
5	Fire Extinguisher (ABC Type) Refilling	5 KG	
6	Fire Extinguisher (ABC Type) Refilling	6 KG	

Signature of the Tenderer
(Seal)
ADDRESS:

PH. NO.